



IMSUITE

MODULAR SYSTEM FOR
SITE PARTITION

IMSUITE

Introduction

INTRODUCTION TO IMSUITE

IMSUITE is a leading player in the web-hosting market and in data center operations. Scalability, modularity and security are key factors to its success. Mission-critical equipment must be stored in an environment that is not just secure and professionally managed but also capable of adapting to rapid and often unpredictable volume growth. IMSUITE optimises site management by providing individual clients with visual and physical security. It addresses the requirement for a totally modular system that enables the effective and secured segregation of persons and equipment, while retaining unlimited scalability. A range of two panel widths allows almost limitless combinations and the use of standard components makes rapid expansion a simple process. IMSUITE is available as standard with partly vented panels that give effective air flow but also obstruct the main line of vision, so that the equipment inside the suite is not easily identified from the outside. Crucially, IMSUITE caters to all levels of security requirements and is supplied as standard with a swing door or sliding as possible option. Additionally, under-floor barrier kits or false ceiling kit can be specified to ensure that unauthorised access to the inside of the suite cannot be made easy by lifting floor tiles or from above between infill panels and ceiling. IMSUITE is available in an combination of colours such as anthracite (infill panels) and black (pillars) which are finishes that ideally complement most contemporary enclosures. Additionally IMSUITE can be manufactured on request in different, subject to minimum order quantities. IMSUITE has been designed to require only a small number of components, enabling APW's professional team to complete any installation rapidly.

KEY FEATURES

- Self-supporting modular design
- Easily and rapidly expandable
- Attractive finishes to complement modern enclosures
- Height 2.4 meters
- Panel widths: 600 mm and 900 mm
- Custom dimensions on request
- Standard vented panels
- Standard swing door or sliding optional with possibility of security locks on request
- Colors: Anthracite RAL7016 for the infill panels and black RAL 9005 for pillars
- Protection above the false ceiling and under-floor guarding on request to give total enclosure protection
- Rapid and simple installation
- Possibility to create "turnkey" solution with installation by a specialized team on request



IMSUITE



IMSUITE




IMSUITE

IMSUITE Configurations examples



IMSUITE



IMSUITE



IMSUITE



IMSUITE

IMSUIE

Configurations examples



IMSUIE



IMSUIE



IMSUIE



IMSUIE

IMSUITE Configurations examples



IMSUITE




IMSUITE



IMSUITE

IMSUITE

Configurations examples




IMSUITE



IMSUITE



IMSUITE



GOMA ELETTRONICA SpA

Strada Antica di Collegno, 225
10146 Torino - Italia

Tel: +39 011 7725024

www.apw.eu.com

All trademarks are the property of their respective owners
GOMA ELETTRONICA SpA • P-CTG-EN 1223

Designed by GOMA ELETTRONICA SpA



KEEP IN TOUCH

